



**COMPILATION OF THE MOST RELEVANT
IDENTIFICATION LITERATURE FOR
THE HKH REGION**

DRAFT VERSION OCTOBER 2007

Prepared by: Anne Hartmann

GENERAL

- Bouchard, W. R. (2004): Guide to Aquatic Invertebrates of the Upper Midwest. Identification Manual for Students, Citizen Monitors, and Aquatic Resource Professionals. University of Minnesota Department of Entomology, chapter 5: Odonata.
- Dudgeon, D. (1999): Tropical Asian Streams: Zoobenthos, Ecology and Conservation. Hong Kong University Press, HKU, pp.291-316.
- Kawai, T.& Tanida, K. (2005): Aquatic Insects of Japan: Manual with Keys and Illustrations. Tokai University Press, 1342 pp.
- Tsalolikhin, S.J. (1997): Key to the Freshwater Invertebrates of Russia and adjacent lands. 1-439 pp. St. Petersburg.
- CM Yule & YH Sen (eds.) (2004): Freshwater Invertebrates of the Malaysian Region, Paperback; 860 pages. ISBN 9834193602.
- Roonwal ML. 1953. A systematic catalogue of the main identified entomological collection at the Forest Research Institute, Dehra Dun. Parts 9-21. Orders Isoptera, Embioptera, Psocoptera, Anoplura, Ephemeroptera, Odonata, Thysanoptera and Hemiptera. Indian For. Leaflet. No. 121 Pt.3:39-187.

EPHEMEROPTERA

- Allen RK. (1971): New Asian *Ephemerella* with notes (Ephemeroptera: Ephemerellidae). Canadian Entomologist 103:512-528.
- Allen RK; Edmunds Jr GF. (1963): New and little known Ephemerellidae from southern Asia, Africa and Madagascar. Pacific Insects 5:11-22.
- Allen RK; Edmunds Jr GF. (1976): *Hyrtanella*: a new genus of Ephemerellidae from Malaysia (Ephemeroptera). Pan-Pacific Entomologist 52:133-137.
- Allen RK. (1975): *Ephemerella* (*Cincticostella*): A revision of the nymphal stages (Ephemeroptera: Ephemerellidae). Pan-Pacific Entomologist 51:16-22.
- Allen RK. (1965): A review of the subfamilies of Ephemerellidae (Ephemeroptera). Journal of the Kansas Entomological Society 38:262-266.
- Allen RK. (1971): New Asian *Ephemerella* with notes (Ephemeroptera: Ephemerellidae). Canadian Entomologist 103:512-528.
- Allen RK. (1980): Geographic distribution and reclassification of the subfamily Ephemerellinae (Ephemeroptera: Ephemerellidae). Pages 71-91 in J. F. Flannagan & K. E. Marshall, eds. Advances in Ephemeroptera Biology. Plenum, New York. 552 pp.
- Allen RK. (1986): Mayflies of Vietnam: *Acerella* and *Drunella* (Ephemeroptera: Ephemerellidae). Pan-Pacific Entomologist 62:301-302.
- Bae YJ; Lee JE; Yoon IB. (2000): Northeast Asian Ephemeroptera in Imanishi's 1940 report. Entomological Science 3:391-397.
- Bae, Y.J. and W.P. McCafferty (1991): Phylogenetic systematics of the Potamanthidae (Ephemeroptera). – Trans. Am. Entomol. Soc. 117: 1–143.
- Beketov M. (2005): Species composition of stream insects of northeastern Altai: mayflies, caddisflies, and stoneflies (Ephemeroptera, Trichoptera, Plecoptera). Euroasian Entomological Journal 4:101-105. (in Russian).
- Campbell IC; Hubbard MD. (1998): A new species of *Prosopistoma* (Ephemeroptera: Prosopistomatidae) from Australia. Aquatic Insects 20:141-148.
- Dubey OP. (1971): Torrenticole insects of the Himalaya. VI. Descriptions of nine new species of Ephemerida from the Northwest Himalaya. Oriental Insects 5:521-548.
- Dubey OP; Kaul BK. (1971): Torrenticole insects of the Himalaya. IV. - Some observations on the ecology and the character-insect communities of the R. Alhni. Oriental Insects 5:47-71.
- Dudgeon D. (1995): Environmental impacts of increased sediment loads caused by channelization: a case study of biomonitoring in a small Hong Kong river. Asian Journal of Environmental Management 3:69-77.
- Dudgeon D. (2000): The ecology of tropical Asian rivers and streams in relation to biodiversity conservation. Annual Review of Ecology and Systematics 31:239-263.

- Fontaine J. (1955): Les formes ailees de *Prosopistoma foliaceum* Fourcroy (Ephemeroptera). – Bulletin mensuel de la Societe Linneenne de Lyon 24(1) : 60-65, 2 pls
- Gillies MT. (1949): Notes on some Ephemeroptera Baëtidae from India and South-East Asia. Transactions of the Royal Entomological Society London 100:161-177.
- Gillies MT. (1951): Further notes on Ephemeroptera from India and South East Asia. Proceedings of the Royal Entomological Society of London (B)20:121-130.
- Gose K. (1969): Mayflies (Ephemeroptera) from Thailand. Nature and Life in Southeast Asia 6:125-138.
- Gupta A; Michael RG. (1992): Diversity, distribution, and seasonal abundance of Ephemeroptera in streams of Meghalaya State, India. Hydrobiologia 228:131-139.
- Ishiwata S-I. (2001): A checklist of Japanese Ephemeroptera. Pages 55-84 in Bae YJ (ed.), The 21st Century and Aquatic Entomology in East Asia. Proc. 1st Symp. AESEA. Korean Soc. Aquatic Entomol.
- Ishiwata S-I. (2003): A revision of the genus *Cincticostella* (Insecta: Ephemeroptera: Ephemerellidae) from Japan. Species Diversity 8:311-346.
- Kluge NJu. (1982): [New and little known mayflies of the genus *Baetis* of the group *rhodani* (Ephemeroptera, Baetidae) from Middle Asia and Kazakhstan.] - Vestnik Zoologii, N3: 15-19 (in Russian).
- Kluge NJu. (1985): [On the Middle-Asian species of the genus *Caenis* (Ephemeroptera, Caenidae). Zoologicheskii Zhurnal 64:1586-1589. (in Russian).
- Kluge NJu. (1997): New subgenera of Holarctic mayflies (Ephemeroptera: Heptageniidae, Leptophlebiidae, Ephemerellidae). Zoosystematica Rossica, 1996, 5(2):233-235.
- Nguyen VV; Bae YJ. (2004): Larvae of the heptageniid mayfly genus *Epeorus* (Ephemeroptera: Heptageniidae) from Vietnam. Journal of Asia-Pacific Entomology 7:19-28.
- Parnrong S; Buathong M; Sites RW. (2002): New records of Behningiidae, Potamanthidae, and Prosopistomatidae (Ephemeroptera) from Thailand. ScienceAsia 28:407-409.
- Sivaramakrishnan KG. (1984): A new genus and species of Leptophlebiidae: Atalophlebiinae from southern India (Ephemeroptera). International Journal of Entomology 26:194-203.
- Sivaramakrishnan KG; Peters WL. (1984): Description of a new species of *Notophlebia* from India and reassignment of the ascribed nymph of *Nathanella* (Ephemeroptera: Leptophlebiidae). Aquatic Insects 6:115-121.
- Soldán T. (1978): New genera and species of Caenidae (Ephemeroptera) from Iran, India and Australia. Acta Entomol. Bohemslov. 75:119-129.
- Soldán T; Yang J-T. (2003): Mayflies (Ephemeroptera) of Taiwan: Species composition, taxonomic shifts, distribution and biogeographical analysis. Pages 413-420 in Gaino E. (ed). Research update on Ephemeroptera & Plecoptera. Università di Perugia. Perugia, Italy.

- Stauder A. (2000): Bestand und Ökologie der Heptageniidae (Ephemeroptera) in Fließgewässern des indischen Himalaya (Nord-West Indien). Dissertation, Albert-Ludwigs-Universität Freiburg. 165 pp
- Traver JR. (1939): Himalayan mayflies (Ephemeroptera). *Annals and Magazine of Natural History* (11)4:32-56.
- Uéno M. (1969): Mayflies (Ephemeroptera) from various regions of Southeast Asia. *Oriental Insects* 3:221-238.
- Wang T-Q; McCafferty WP. (1995): First larval descriptions, new species, and evaluation, of the southeast Asian genus *Atopopus* (Ephemeroptera, Heptageniidae). *Bulletin de Société d'Histoire Naturelle, Toulouse* 131:19-25.
- Vayssiere A. (1890): Monographie zoologique at anatomique du genre *Prosopistoma*, Latr. – *Annales des sciences naturelles. Septieme Seirie, Zoologie, To. IX* : 19-87, pl.. 2-5, Paris.
- Venkataraman K; Sivaramakrishnan KG. (1987) : A new species of *Thalerosphyrus* from South India (Ephemeroptera: Heptageniidae). *Current Science* 56:1126-1129.

PLECOPTERA

- Wiggins G.B. (1998): Larvae of the North American Caddisfly Genera (Trichoptera). 2nd Ed. University of Toronto Press. pp 457.
- Stewart, K. W. & B. P. Stark (1993): Nymphs of North American Stonefly Genera (Plecoptera). 1-51.
- Aubert, J. (1959): Pléoptères du Pakistan. Memoires de la société vaudoise des sciences naturelles, 75, Vol. 12, fasc. 3:65-91.
- Aubert, J. (1966): Quelques Pléoptères d'Afghanistan. Annales historico-naturelles Musei Nationalis Hungarici, T. 58:289-292.
- Aubert, J. (1967): Les Nemouridae de l'Assam (Pléoptères). Mitt. Schweiz. Ent. Ges. 39: 209-253.
- Baumann, R.W. (1975): Revision of the Stonefly Family Nemouridae (Plecoptera): a study of the World Fauna at Generic level. Smithsonian Contributions to Zoology, Nr. 211:1-75. Smithsonian Institute Press.
- Brinck, P. (1950): Plecoptera (Insects) from Afghanistan. Vidensk. Meddr. Dansk. naturh. Foren. 112:133-138.
- Geijskes, D. C. (1952): Die Plecopteren der deutschen limnologischen Sunda-Expedition, nebst einigen Neubeschreibungen. Arch. Hydrobiol. Suppl. 21:275-297.
- Harper, P.P. (1974): New Protonemura (s.l.) from Nepal (Plecoptera; Nemouridae). Psyche, Vol. 81:367-376.
- Harper, P.P. (1975): Quelques Amphinemura et Nemoura nouvelles du Nepal. (Pléoptères; Nemourides). Nouv. Rev. Ent. 5: 119-127.
- Harper, P.P. (1976): Plecoptera collected by the Hokkaido University Expedition to the Himalaya, 1968. Mushi, 49,3:25-33.
- Harper, P.P. (1977): Capniidae, Leuctridae, and Perlidae (Plecoptera) from Nepal. Oriental Insects, 11(1):53-62.
- Jewett, S.G. (1958): Entomological survey of the Himalaya. Part XXII. Stoneflies (Plecoptera) from the north-west (Punjab) Himalaya. Proc. Nation. Acad. Sci. 28 B IV:320-329.
- Jewett, S. G. (1975): Records and Descriptions of Stoneflies from Northwest (Punjab) Himalaya and Mt. Makalu, Nepal Himalaya. Oriental Insects, Vol. 9(1):1-7.
- Kawai, T. (1966): Plecoptera from the Hindukush. Res. Kyoto Univ. Sci. Exp. Karakoram Hindukush, 1955, 8: 203-216.
- Kawai, T. (1968): A new species of the genus *Capnia* from Mt. Everest (Capniidae, Plecoptera). Khumbu Himal, 3:29-36.
- Kimmins, D. E. (1947): New species of Himalayan Plecoptera. Ann. Mag. nat. Hist. (11) 13:721-740.
- Shimizu, T. & I. Sivec (2001): *Sphaeronemoura*, a new genus of the Amphinemurinae (Nemouridae, Plecoptera) from Asia. Trends in Research in Ephemeroptera and Plecoptera: 393-398.

- Sivec, I. (1981): Contribution to the Knowledge of Nepal Stoneflies (Plecoptera). *Aquatic Insects*, 3, 4:245-257.
- Sivec, i. (1981): Some notes about Nemouridae larvae (Plecoptera) from Nepal. *Entomologica Basiliensia*, 6: 107-119.
- Sivec, I. (1995): *Cryptoperla fujianica* spec. nov., and *Cryptoperla stilifera* spec. nov., two new Peltoperlidae species from Fujian, Cina (Plecoptera). *opuscula zoologica fluminensia*, 132:1-5.
- Sivec, I. (1982): Notes on Himalayan Stonflies from the Collection of Zoologische Staatssammlung München (Plecoptera). *Spixiana*, 5, 2:181-186.
- Sivec, I., B.P. Stark, S. Uchida (1988): Synopsis of the world genera of Perlinae (Plecoptera:Perlidae). *Scopolia* No. 16:1-66.
- Stark, B. P. (1989): Oriental Peltoperlina (Plecoptera): a generic review and descriptions of a new genus and seven new species. *Entomol. scand.* 19:503-525.
- Stark, B. & I. Sivec (1991): Descriptions of Oriental Perlini (Plecoptera: Perlidae). *Aquatic Insects* 13, 3:151-160.
- Stark, B. & I. Sivec (1999): *Peltoperla malickyi*, a New Species of Oriental Peltoperlidae (Plecoptera). *Aquatic Insects*, 21, 3:235-240.
- Stark, B. & I. Sivec (2007): New species and records of Asian Peltoperlidae (Insecta: Plecoptera). *Illiesia*, 3(12): 104-126.
- Stark, B. (1987): Records and descriptions of Oriental Neoperlini (Plecoptera: Perlidae). *Aquatic Insects* 9, 1,:45-50.
- Uchida, S. & Y. Isobe (1988): *Cryptoperla* and *Yoraperla* from Japan and Taiwan (Plecoptera: Peltoperlidae). *Aquatic Insects* 10:17-31.
- Uchida, S. & Y. Isobe (1991): Designation of a Neotype for *Kamimura tibialis* (Pictet, 1841), and *K. uenoi* Khono, 1947, spec. prop., stat. n. (Plecoptera, Perlidae). *Aquatic Insects*, 13, 2:65-77.
- Zhiltzova, L.A., & P. Zwick (1971): Notes on Asiatic Chloroperlidae (Plecoptera) with descriptions of New Species. *Entomol. Ts. Arg.* 92, H.3-4:183-197.
- Zwick, P. & I. Sivec (1980): Beiträge zur Kenntnis der Plecoptera des Himalaja. *Entomologica Basiliensia*, 5:59-137.
- Zwick, P. (1972): *Alloperla joosti* nov. spec. und andere asiatische Chloroperlidae (Plecoptera). *Mitt. Zool. Mus. Berlin*, Bd.48, H.1:35-39.
- Zwick, P. (1977): Ergebnisse der Bhutan-Expedition 1972 des Naturhistorischen Museums in Basel. *Entomologica Basiliensia*, 2:85-135.
- Zwick, P. (1982): A revision of the Oriental stonefly *Phanoperla* (Plecoptera:Perlidae). *Systematic Entomolgy* 7:87-126.

Zwick, P., (1986): Contribution to the knowledge of *Phanoperla* Banks, 1938 (Plecoptera: Perlidae). - Mitt. Schweiz. Ent. Ges. 59: 151-158.

TRICHOPTERA

- Baroni Urbani C., Stemmler O., Wittmer W. & M. Würmli (1973): Zoologische Expedition des Naturhistorischen Museums Basel in das Königreich Bhutan. – Verhandlungen Naturf. Ges. Basel 83: 319-336.
- Higler, L.W.G. (1992): A check-list of the Trichoptera recorded from India and a larval key to the families.- Oriental Insects, Vol. 26:67-106.
- Ito, et al. (2002): Descriptions of two new species of Zephyropsyche from Japan, with particular reference to immature stages (Trichoptera, Lepidostomatidae). Proceedings of 10th International Symposium of Trichoptera: 125-146.
- Lepneva, S.G. (1970): Larvae and pupae of *Annulipalpia*. Fauna of the U.S.S.R. Trichoptera. Vol. II, Nr.1.
- Li, Y.J., J.C. Morse, and H. Tachet. (2001): Pseudoneureclipsinae in Dipseudopsidae (Trichoptera: Hydropsychoidea), with descriptions of two new species of Pseudoneureclipsis from East Asia. Aquatic Insects 23(2): 107-117.
- Malicky H. & P. Chantaramongkol (2000): Ein Beitrag zur Kenntnis asiatischer *Hydropsyche*-Arten (Trichoptera, Hydropsychidae). – Linzer biol. Beitr. 32 (2): 791 – 860.
- Malicky H. & P. Chantaramongkol (2006): Beiträge zur Kenntnis asiatischer *Setodes* (Trichoptera, Leptoceridae). - Linzer biol. Beitr. 38 (2): 1531 – 1589.
- Malicky H.(2006): Caddisflies from Bardia National Park, Nepal, with a preliminary survey of Nepalese species (Insecta, Trichoptera). – Entomofauna (Ansfelden) 27: 241 -264.
- Malicky H.(2007): Köcherfliegen aus Bhutan (Insecta, Trichoptera). – Linzer biol. Beitr. 39 (1): 475 - 517.
- Morse, J.C. (2004): Insecta: Trichoptera. Pp. 501-539 in C.M. Yule and H.S. Yong (Eds.), Freshwater Invertebrates of the Malaysian Region. Academy of Sciences Malaysia. 861 pages.
- Oláh J. (1985): Two new Trichoptera from Bhutan. – Fol. Entomol. Hungarica 46: 139 – 141.
- Schmid F. (1954): Contribution à l'étude de la sous-famille des Apataniinae (Trichoptera, Limnophilidae). 2. – Tijdschrift voor Entomologie 97: 1-74.
- Schmid F. (1975): Ergebnisse der Bhutan-Expedition 1972 des Naturhistorischen Museums in Basel. – Entomol. Basiliensia 1: 77-86.
- Schmid F. (1991): La sous-famille des Pseudosténophylacines (Trichoptera, Limnephilidae). – Bull. Inst. R. Sci. Nat. Belg. Ent Suppl. 61: 1-68.
- Tachet, H., J.C. Morse, and A. Berly. (2001): The larva and pupa of *Pseudoneureclipsis lusitanicus* Malicky, 1980 (Trichoptera: Hydropsychoidea): description, ecological data and taxonomic considerations. Aquatic Insects 23(2): 93-106.
- Ulmer, G. (1957): Köcherfliegen (Trichopteren) von den Sunda-Inseln. Teil II.-Arch. f. Hydrobiol./Suppl. XXIII, 2/4:109-470.

- Weaver , J. (1999): The Oriental caddisfly genus *Paraphlegopteryx* Ulmer (Trichoptera, Lepidostomatidae). Proceedings of 9th International Symposium of Trichoptera: 425-460.
- Weaver John S. III (2002): A synonymy of the caddisfly genus *Lepidostoma* Rambur (Trichoptera: Lepidostomatidae), including a species checklist. - Tijdschrift voor Entomologie 145: 173-192.
- Wiggins G.B. (1998): *Larvae of the North American Caddisfly Genera (Trichoptera)*. 2nd Ed. University of Toronto Press. Pp 457.

DIPTERA

- Chaudhuri, P.K. & S. Chattopadhyay (1990): Chironomids of the rice paddy areas of West Bengal, India (Diptera: Chironomidae). – Tijdschrift voor Entomologie 133: 149-195, figs. 1-112, tabs. 1-3.
- Chaudhuri, P.K. and R.K. Debnath (1985): Two new species of *Paramerina* Fittkau from India (Diptera, Chironomidae). – Spixiana Suppl. 11: 167-171.
- Chaudhuri, P.K. and M. Ghosh (1980): The Orthoclaadiinae (Diptera: Chironomidae) of India Genus *Cricotopus* van der Wulp. – Aquatic Insects 2: 147-152.
- Chaudhuri, P.K. and Guha, D.K. (1987): A conspectus of chironomid midges (Diptera: Chironomidae) of India and Bhutan. Entomologica Scandinavica Supplement, 29, 23-33.
- Colless, D.H. and D.K. McAlpine (1991, second edition; second volume): 39 Diptera (717-786), in The Insects of Australia / A textbook for students and research workers. Division of Entomology / Commonwealth Scientific and Industrial Research Organisation (CSIRO). – Melbourne University Press: i-vi, 543-1137.
- Cranston, P.S. (1994): The immature stages of the Australian Chironomidae. – Presented to Murray Darling Freshwater Research Centre Workshop Identification of Chironomidae: 93 pp. + illustrations.
- Ekrem, T. (2002): A review of selected South- and East Asian *Tanytarsus* v.d.Wulp (Diptera: Chironomidae). – Hydrobiologia 474: 1-39.
- Ekrem, T. (2004): Immature stages of European *Tanytarsus* species I. The *eminulus*-, *gregarius*-, *lugens*- and *mendax* species groups (Diptera: Chironomidae). - Deutsche entomologische Zeitschrift 51 (1): 97-146.
- Janecek, B. (1998): Diptera: Chironomidae (Zuckmücken/ Bestimmung von 4. Larvenstadien mitteleuropäischer Gattungen und österreichischer Arten. -Bundesministerium für Land- und Forstwirtschaft: 236pp.
- Janecek, B. (1999): Kursunterlagen zu FAUNA AQUATICA AUSTRACA/ Taxonomie und Ökologie aquatischer wirbelloser Organismen; Teil V/ Chironomidae (Zuckmücken) - Larven, erweiterte und verbesserte Auflage; im Auftrag des Bundesministeriums für Land- und Forstwirtschaft; Universität für Bodenkultur, abteilung Hydrobiologie: 246 pp. (= 2., überarbeitete Ausgabe zu obiger Schrift (Janecek, 1998)) (für den Kurs auf der EAWAG, Zürich)
- Janecek (2002): Kursunterlagen zu FAUNA AQUATICA AUSTRACA/ Taxonomie und Ökologie aquatischer wirbelloser Organismen; Teil V/ Chironomidae (Zuckmücken) - Larven, erweiterte und verbesserte Auflage; im Auftrag des Bundesministeriums für Land- und Forstwirtschaft; Universität für Bodenkultur, Abteilung Hydrobiologie: 246 pp. (= 3., überarbeitete Ausgabe zu obigen Schriften (Janecek, 1998, 1999)).
- Kniepert, F.-W. (2000): Insecta: Diptera: Tabanidae - Süßwasserfauna von Mitteleuropa / Begründet von A. Brauer. Band 21/19: 111-204.

- Kyerematen, R.A.K., T. Andersen & O.A. Sæther (2000): A review of Oriental *Rheotanytarsus* Thienemann & Bause, with descriptions of some new species (Insecta, Diptera, Chironomidae). – Spixiana 23: 225-258.
- McAlpine, J. F., Peterson, B. V., Shewell, G. E., Teskey, H. J., Vockeroth, J. R., Wood, D. M. (1981): Manual of Nearctic Diptera, Volume 1. - Research Branch Agriculture Canada, Monograph No. 27: (I-III) 1-674.
- Merritt, R.W. and Cummins, K.W. (eds) (1984): An Introduction to the Aquatic Insects of North America, 2nd Edition. Kendall/Hunt, Dubuque, Iowa.
- Moller Pillot, H.K.M. en Goddeeris, B.R. (2001): Identificatiesleutel voor *Tanytarsus* larven van Nederland en België. - Kursexemplar: 70-80.
- Morse, J.C. & Yang, L. & Tian L. (eds.) (1994): Aquatic Insects of China useful for monitoring water quality. Hohai University Press: 570 pp. ISBN: 7-5630-0240-5
- Reiss, F. (1968): Neue Chironomiden-Arten (Diptera) aus Nepal. - Khumbu Himal 3: 55-73.
- Reiss, F. (1971): Tanytarsini-Arten (Chironomidae, Diptera) aus Nepal, mit der Neubeschreibung von fünf *Micropsectra*- und drei *Tanytarsus*-Arten. - Khumbu Himal 4: 131-151.
- Reiss, F. (1988a): *Irmakia*, ein neues Subgenus von *Demicryptochironomus* LENZ, 1941, mit der Beschreibung von 4 neuen Arten (Diptera, Chironomidae). - Spixiana 11: 1-12.
- Reiss, F. (1988b): Die Gattung *Kloosia* Kruseman, 1933 mit der Neubeschreibung zweier Arten (Diptera: Chironomidae).- Spixiana Suppl. 14: 35-44.
- Reusch, H. (© - unpublished) (1999): Larvenschlüssel der österreichischen Limoniidae and Pediciidae: 1-14.
- Rivosecchi, L. (1984):.28. / Ditteri / (Diptera). Guide per il riconoscimento delle specie animali delle acque interne Italiane. Consiglio Nazionale delle Ricerche: 177 pp.
- Rozkošný, R. (1982) A Biosystematic Study of the European Stratiomyiidae (Diptera), Volume 1, Introduction, Beridinae, Sarginae, Stratiomyiinae. – Ser. Ent. 21: 401 pp. The Hague, Boston, London.
- Rozkošný, R. (1983): A Biosystematic Study of the European Stratiomyiidae (Diptera), Volume 2, Clitellariinae, Hermetiinae, Pachygasterinae and bibliography. – Ser. Ent. 25: 431 pp. The Hague, Boston, London.
- Rozkošný, R. (2000): Insecta: Diptera: Stratiomyiidae – Süßwasserfauna von Mitteleuropa / Begründet von A. Brauer. Band 21/18: 3-109.
- Rozkošný, R. (2002): Insecta: Diptera: Sciomyzidae - Süßwasserfauna von Mitteleuropa / Begründet von A. Brauer. Band 21/23: 15-122.
- Stehr, F.W. (ed.) (1991): Immature Insects. Volume 2. – Kendall/Hunt Publishing Company, Dubuque, Iowa: 975 pp. ISBN 0-8403-4639-5.

- Sublette, J.E. and Sublette, M.S. (1973): Family Chironomidae, in *Catalogue of the Diptera of the Oriental Region, Part 1*, (eds M. Delfinado and E.D. Hardy), University Press of Hawaii, Honolulu, pp.389-422.
- Sundermann, A. & S. Lohse (without mentioning the year of publication): Bestimmungsschlüssel für die aquatischen Zweiflügler (Diptera) in Anlehnung an die Operationelle Taxaliste für Fließgewässer in Deutschland: 20 pp.
- Wagner, R. (© - unpublished): Bestimmungsschlüssel für Psychodidenlarven bis zur Gattung: 3 pp. + 31 Figs.

ODONATA

- Asahina, S. (1961): Description of some dragonfly larvae from Darjeeling. *Kontyu* 29: 240-246.
- Asahina, S. (1981): A revision of the Himalayan Dragonflies of the Genus *Cephalaeschna* and its Allies (Odonata, Aeschnidae). (Part 2) *Bull. natn. Sci. Mus., Tokyo, Ser. A, 7 2*, 57 – 77.
- Asahina, S. (1981): A revision of the Himalayan Dragonflies of the Genus *Cephalaeschna* and its Allies (Odonata, Aeschnidae). (Part 1) *Bull. natn. Sci. Mus., Tokyo, Ser. A, 7 1*, 27 – 49.
- Asahina, S. (1982): Survey of the relict dragonfly *Epiophlebia laidlawi* Tillyard in Nepal, Mai 1981. *Rep. Odon. Specialist Group Int. Un. Conserv. Nat. 1*: 1-6 + 6 Figures.
- Asahina, S. (1982): A revision of the Himalayan Dragonflies of the Genus *Neallogaster* (Odonata: Cordulegasteridae). *Bull. Natn. Sci. Mus. Tokyo Ser. A, 8, 4*, 153-171.
- Asahina, S. (1983): Further Contributions to the knowledge of Nepalese *Cephalaeschna* and their Allies (Odonata, Aeshnidae). *Bull. Natn. Sci. Mus. Tokio Ser. A, 9*.
- Asahina, S. (1984): The Himalayan dragonflies of the genus *Sympetrum* (Odonata: Libellulidae). *Bull. Natn. Sci. Mus. Tokyo Ser. A 10, 3*, 121-133.
- Asahina, S. (1991): 2085 Notes on some problematical dragonfly specimens from Nepal. *Tombo, XXXIV, 1-4*, 23-26.
- Bahadur Budha, P. (2005): Dragonfly biodiversity: Important management tool for providing safe drinking water to Kathmandu, Nepal. 2nd Symposium on Biodiversity of the Himalayans – interactive report. <www.zin.ru/Animalia/coleoptera/eng/05i.htm>.
- Brockhaus, T. (2001): Beobachtungen zur Libellenfauna der Shivapuri Berge, Nepal (Odonata). *Entomologische Nachrichten und Berichte 45*: 221-223. [German].
- Brockhaus, T. (2003): *Pantala flavescens* (Fabricius) in Khumbu Himal, Nepal (Anisoptera: Libellulidae). *Notulae Odonatologicae 6*: 2-3.
- Brockhaus, T., S. G. Butler, R. G. Kemp & G. S. Vick (2007): The dragonfly fauna of the Shivapuri Hills, Nepal (Odonata: Zygoptera, Anisozygoptera, Anisoptera). In: B. K. Tyagi (Ed.): *Odonata: Biology of Dragonflies*. Scientific Publishers India: 63-72.
- Davies, A. (1992): *Epiophlebia laidlawi* – flying! *Kimminsia 3(2)*: 10-11.
- Fraser, F. C. (1933): The fauna of British India including Ceylon and Burma. Odonata. Vol. I. Taylor and Francis, London.
- Fraser, F. C. (1934): The fauna of British India including Ceylon and Burma. Odonata. Vol. II. Taylor and Francis, London.
- Fraser, F. C. (1936): The fauna of British India including Ceylon and Burma. Odonata. Vol. III. Taylor and Francis, London.

- Gerken, B. & Sternberg, K. (1999): Die Exuvien europäischer Libellen. - Höxter, Jena: Arnika & Eisvogel. ISBN 3-9805700-4-5.
- Hawking, J. & Theischinger, G. (1999). *Dragonfly larvae (Odonata)*. A guide to the identification of larvae of Australian families and to the identification and ecology of larvae from New South Wales. Identification Guide No. 24. Albury : Cooperative Research Centre for Freshwater Ecology iv 218 pp.
- Kumar, A. & M. Prasad (1977): Last instar larvae of two odonata species from western Himalaya. Entomon 2, 2, 225-230.
- Kumar, A. & M. Prasad (1981): Field ecology, zoogeography and taxonomy of the Odonata of Western Himalaya, India. Rec. Zoo. Surv. India, Occ. Paper 20: 1-118.
- Kumar, A. & V. Khanna (1983): A review of the taxonomy and ecology of Odonata larvae from India. Oriental Insects 17, 127-157.
- Kumar, A. (1973): Description of the last instar larvae of odonata from the Dehra Dun Valla (India), with notes on biology I. (Suborder Zygoptera). Oriental Insects 7, 1, 83-118.
- Kumar, A. (1973): Descriptions of the last instar larvae of odonata from the Dehra Dun valley (India), with notes on biology. Oriental insects 7, 2, 291-331.
- Mahato, M. (1993): *Epiophlebia laidlawi* – a living ghost. Selysia 22: 2.
- Mitra, A. (1999): Two new odonate records für the Western Himalaya, India (Anisoptera: Macrodoxoptera, Libellulidae). Notul. odonatol. 5, 3, 39.
- Mitra, A. (2006): Current status of the odonata of Bhutan: A Checklist with Four new records. Bhu. J. RNR. Vol. 2, Nr. 1: 136-143.
- Northcott, P., (1990): Survey of the status of *Epiophlebia laidlawi* Tillyard in the Shivapuri Watershed and Wildlife Reserve, 1988. In: N. Saville (Leader), Report of the Cambridge Entomological Expedition to Nepal 1988, pp. 31-35, Gonville & Caius Coll., Univ. Cambridge, Cambridge.
- Sharma, S. & T. Ofenböck (1996): New discoveries of *Epiophlebia laidlawii* Tillyard, 1921 in the Nepal Himalaya (Odonata, Anisozygoptera: Epiophlebiidae). Opusc. zool. flumin. 150, 1-11
- Saville, N. (1990): Survey of the status of *Epiophlebia laidlawi* (Tillyard) in the Shivapuri Watershed and Wildlife Reserve, 1988. In: Report of the Cambridge. Entomological Expedition to Nepal 1988: 31-35.
- St. Quentin, D. (1970): Odonata aus Nepal. Khumbu Himal 3: 389-411. [German]
- Tani, K. & Y. Miyatake (1979): The discovery of *Epiophlebia laidlawi* Tillyard, 1921 in the Kathmandu Valley, Nepal (Anisozygoptera: Epiophlebiidae). Odonatologica 8: 329-332.
- Theischinger, G., Watson, J.A.L. & Rowe, R.J. (1993): Larvae of Australian Synlestidae (Odonata: Zygoptera). *J. Aust. Entomol. Soc.* 32: 113-119
- Tillyard, R.J., (1921): On an anisozygopterous larva from the Himalayas (order Odonata). Ec. Indian Mus. 22:93-109, pl. 13 excel.

Uniyal, V.P., A., Mitra & P.K. Mathur (2000): Dragonfly Fauna (Insecta: Odonata) in Great Himalayan National Park, Western Himalaya. *Annals of Forestry* 8, 1: 116-119.

Vick, G.S. (1985): Odonata collected by Shiplake College Trekking Society expedition to Nepal in 1984. *Notulae Odonatologicae* 2(5) : 80-82.

Vick, G.S. (1989): List of the dragonflies recorded from Nepal, with a summary of their altitudinal distribution (Odonata). *Opuscula Zoologica Fluminensis* 43: 1-21.

Vick, G., (1996): *Epiophlebia laidlawi*. *Kimminsia* 7(1): 3.

COLEOPTERA

Jäch, M.A. & Ji L. (Hrsg.) (1995): Water beetles of China, Vol. 1. Zoologisch-Botanische Gesellschaft in Österreich and Wiener Coleopterologenverein, Wien, 410 pp.

Jäch, M.A. & Ji L. (Hrsg.) (1998): Water beetles of China, Vol. 2. Zoologisch-Botanische Gesellschaft in Österreich and Wiener Coleopterologenverein, Wien, 371 pp.

Jäch, M.A. & Ji L. (Hrsg.) (2003): Water beetles of China, Vol. 3. Zoologisch-Botanische Gesellschaft in Österreich and Wiener Coleopterologenverein, Wien, Vi + 572 pp.

HETEROPTERA

CHEN P.-P., NIESER N. & ZETTEL H. (2005): The aquatic and semi-aquatic bugs (Heteroptera: Nepomorpha & Gerromorpha) of Malesia. – Fauna Malesiana Handbooks 5, Brill, Leiden – Boston, 546 pp.